

Serial No. 10/518,524
Art Unit 3611

RECEIVED
CENTRAL FAX CENTER

JUL 09 2007

LISTING OF THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A picture frame comprising:
several frame ledges and connecting elements for releasably connecting adjacent frame ledges, wherein insertion pockets are provided in the frame ledges and/or the connecting elements into which the connecting elements and/or frame ledges are insertable;
at least two ledge rear sides of the frame ledges; and
first fastening elements on the at least two ledge rear sides, the first fastening elements being configured to form a releasable connection with second fastening elements provided on a picture adapted to be stretched onto the frame.
2. (Previously presented) The picture frame according to claim 1, wherein said connection is effected by friction.
3. (Currently amended) The picture frame according to claim 1, [[.]] further comprising friction elements connected with the frame ledges and/or the connecting elements.
4. (Currently amended) The picture frame according to claim 3, wherein said friction elements are lamellae.
5. (Previously presented) The picture frame according to claim 1, wherein said connecting elements comprise a corner portion that is in substantial alignment with the outer contours of the frame ledges in the mounted state.
6. (Cancelled).

Serial No. 10/518,524
Art Unit 3611

7. (Previously presented) A picture frame comprising:
frame ledges connected to form a frame, and
first fastening elements provided at at least two ledge rear sides, for being
releasably connected with second fastening elements provided on a picture adapted to
be stretched onto the frame.
8. (Currently amended) The picture frame according to claim 7,
wherein said first fastening elements are provided at all ledge rear sides, said first
fastening elements cooperating with second fastening elements arranged at the picture.
9. (Previously presented) The picture frame according to claim 7, wherein
said fastening elements substantially extend over the entire length of the ledge rear
sides.
10. (Previously presented) The picture frame according to claim 7, wherein
said frame ledges have a groove at the ledge rear side, for receiving the first fastening
elements.
11. (Currently amended) The picture frame according to claim 7, wherein said
fastening elements cooperate in correspondence with a VELCRO fastener.
12. (Previously presented) The picture frame according to claim 7, wherein
said frame ledges are configured as hollow profiles.
13. (Previously presented) The picture frame according to claim 7, further
comprising a protrusion which is provided at a ledge front sides of the frame ledges, for
keeping the picture, in the stretched state, at a distance (a) to said ledge front side.
14. (Previously presented) The picture frame according to claim 7, wherein at
least one frame ledge comprises a longitudinally extending groove for receiving wall
mountings and/or spacers.

Serial No. 10/518,524
Art Unit 3611

15. (Previously presented) The picture frame according to claim 14, wherein said groove is provided at the ledge inside.

16. (Previously presented) The picture frame according to claim 7, wherein said frame ledges each have the same cross-sectional profile.

17. (Previously presented) The picture frame according to claim 7, wherein said picture is adapted to be stretched consists of elastic material.

18. (Currently amended) A wall mounting comprising:

[[(a) a picture frame comprising several frame ledges and connecting elements for releasably connecting adjacent frame ledges, wherein insertion pockets are provided in the frame ledges and/or the connecting elements into which the connecting elements and/or frame ledges are insertable; and (b)]]

an integrated spirit level;

mounting slots extending at right angles with respect to each other, for the mounting to a wall; and

spacing projections between which the mounting slots are arranged.

19. (Cancelled).

20. (Currently amended) The wall mounting according to claim 18, further comprising a projection adapted to be inserted into a groove of [[the]] a frame ledge.

21. (Cancelled).